

Average Case Analysis of a Class of NP-Complete Problems:

Maximum Independent Set and Exhaustive Search Algorithms.

Cyril Banderier, Vlado Ravelomanana (Univ. Paris Nord)

& Hsien-Kuei Hwang, Vytas Zacharovas (Academica Sinica)

In this talk, we deal with rigorous average case analysis of a large class of NP complete problems, relying on some mathematical tools from complex analysis and probability theory. We consider here one of the historical prototype of such problems: Maximum Independent Set (MIS), but our results apply more generally to a whole family of algorithms for constraint satisfaction problems (including reduction algorithms: Tarjan-Chvátal like algorithms, or classical exhaustive algorithms which encompass 3-coloring, Max Cut, Max 2-SAT, ...).

Our approach gives a precise picture of the "complexity landscape" of these algorithms, depending on the average degree (or the ratio vertices/edges) of the graph, and gives access to the location of the "hard regions" where people could then sample their inputs if they want to make some benchmarks (may it be for the worst or average case). Under the $\Gamma(n,m)$ and $G(n,p)$ distribution for graphs, we give some fascinating phase transitions between exponential (A^n), superpolynomial ($n^{\ln n}$), and polynomial (n^d) average complexities.

The challenging associated mathematical aspects force us to introduce new analyses (for a large class of Mahlerian-like recurrences), which will clearly be of interest for many other NP hard problems (typically, optimization problems on graphs).